



AEROQ

**Certification Body notified by European Commission
NB 1840**



CERTIFICATE OF CONSTANCY OF PERFORMANCE

No.: 1840-CPR-99/91/EC/0677-18

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product:

FACTORY MADE GLASS MINERAL WOOL (see annex)

Level/class of performance: (see annex)
Intended use: Thermal insulation for buildings

Placed on the market under the name/mark

SAINT-GOBAIN CONSTRUCTION PRODUCTS ROMANIA S.R.L.
Bucuresti, Soseaua Pipera, nr.43, Cladirea Floreasca Park, corp A, etaj 3, birouri
25-41, sector 2.

Manufactured at:

SITE ISOVER

Județul Prahova, Ploiești, Strada Mihai Bravu, nr. 233

This Certificate attests:

- The fulfillment of all provisions regarding the Assessment and Verification of Constancy of Performance that were specified in Annex ZA of the Standard

EN 13162:2012+A1:2015- SISTEM 1

- The achievement of the performances declared in this Certificate and the Assessment of the Factory Production Control, conducted by the Manufacturer, to ensure

THE CONSTANCY OF PERFORMANCE OF THE CONSTRUCTION PRODUCTS

This certificate was first issued on **08/06/2018** and will remain valid as long as there are not significantly modified: the harmonized standard, the construction product, the test methods used for Assessment and Verification of Constancy of Performance and the manufacturing conditions, unless suspended or withdrawn by the product certification Notified Body - AEROQ

The validity of this certificate is conditioned by the annual external surveillance and continual evaluation of factory production control, confirmed by the resulting audit reports.

The Certificate may be suspended or withdrawn provided that the releasing conditions are no longer maintained. The validity of this certificate can be checked out at www.aeroq.ro.

Issue date/Renewal date
02/15/2018

General Manager
Eng. 
Constantin AVRAM



FACTORY MADE GLASS MINERAL WOOL

Product (commercial names)	Presentation Form	Declared Thermal conductivity [W/Mk]	Reaction to fire	Product code
RIO, RIO TWIN, PICCOLO, UTEPLYAEV, UTEPLYAEV TWIN, KT-SPECIAL, KT-SPECIAL-TWIN, DEKWOOL 42, CLASSIC-ECO, CLASSIC-ECO -TWIN, MASTER- STANDART MASTER- STANDART TWIN	roll	0.042	A1	MW-EN 13162-T1-MU1
RIO ALU, SAUNA	roll	0.042	A2-s1,d0	MW-EN 13162-T1
DOMO, DOMO TWIN, UNI - MATA, AKUSTO, AKUSTO TWIN, DOMO Comfort, DEKWOOL 39	roll	0.039	A1	MW-EN 13162-T1-MU1-AFr5
DOMO ALU	roll	0.039	Thickness 30-40 mm=B1-s1,d0 Thickness 40-100 mm=A2-s1,d0 Thickness 120-140 mm=A1	MW-EN 13162-T1
PIANO, PIANO SB, UNIROLL, KB, PIANO BROWN, KB BROWN, UNIVERSAL, DUO ROLL, DOMO PLUS, DOMO PLUS TWIN	roll / board	0.038	A1	MW-EN 13162-T1-MU1-AFr7
KT - 40, KT - 40 TWIN	roll	0.040	A1	MW-EN 13162-T1-MU1
EKO, EKO DOUBLE, EXTRAGLASS, SUPRALAINE	roll	0.044	A1	MW-EN 13162-T1-MU1
FORTE	roll / board	0.034	A1	MW-EN13162-T3-MU1-AFr17
FORTE FASSADE, MK-KF, FORTE FASSADE SB, FORTE FASSADE SB BROWN	roll / board	0.034	A1	MW-EN 13162-T3-MU1
FORTE ALU	board/roll	0.034	A2-s1,d0	MW-EN 13162-T3
CLASSIC, CLASSIC TWIN	roll	0.041	A1	MW-EN 13162-T1-MU1
UNIROLL PLUS	roll / board	0.036	A1	MW-EN 13162-T1-MU1-AFr8
PROFI, PROFI-TWIN	roll	0.037	A1	MW-EN 13162-T1-MU1
ISO ALU, SUPRALAINE ALU, EXTRAGLASS ALU	roll	0,044	A2-s1,d0	MW-EN 13162-T1
<i>SUPER PROFI</i>	<i>roll / board</i>	<i>0,032</i>	<i>A1</i>	<i>MW-EN 13162-T1-MU1</i>

General Manager
Eng. 
Constantin AVRAM

